



MODEL TS1202

12-OUTLET SURGE PROTECTOR

Provides premium-quality, fireproof surge protection for your electronics

OVERVIEW

The TrickleStar 12-Outlet Surge Protector protects your electronic devices, keeping them safe from damages caused by power surges. Designed using intelligent circuitry with built-in voltage sensing, this 4,320-joule surge protector safeguards sensitive electronic equipment from damaging voltage fluctuations, dangerous power spikes, and other abnormal surge conditions.

The TrickleStar surge protector features twelve surge-protected outlets with sliding, child-protective covers, offering reliable protection for office workstations, home theater systems, and everyday household electronics. Simply plug the surge protector into any grounded AC wall outlet, and rest assured that your electronics are protected.

KEY FEATURES

- · 12 surge-protected outlets
 - · 6 transformer-spaced outlets
- 2 in 1 power & circuit breaker
- 4,320 Joules of surge protection at VPR of L-N: 330 V, L-G: 400 V and N-G: 400 V
- · Ceramic-encased, fireproof surge protection
- <40 dB EMI/RFI noise filtering minimizes disruptive noise and interference, optimizing the performance of connected devices
- · Consumes <1 Watt at all times
- LED status indication clearly displays ground, surge, and power status
- · Child protective outlet covers
- · Angled, space-saver plug
- · 4-foot, heavy-duty power cord

FIREPROOF SURGE PROTECTION

Traditional surge suppression products use standard Metal Oxide Varistor (MOV) components. TrickleStar's surge protector products incorporate advanced surge protection technology with ceramic-encased MOVs capable of suppressing more energy and dissipating heat faster than traditional MOVs.

Ceramic-encased MOVs have better thermal properties and have a lifespan up to three times longer than standard MOVs. The ceramic casing is fireproof and therefore capable of preventing fire during abnormal surge conditions.



EMI/RFI NOISE FILTERING

The TrickleStar 12-outlet Surge Protector includes advanced noise filtering circuitry that reduces electromagnetic interference (EMI) and radio frequency interference (RFI), delivering cleaner power and improved video and sound quality.

PRODUCT WARRANTY


This product is backed by TrickleStar's Lifetime Product and Connected Equipment Warranties:

- 10-year Lifetime Product Warranty
- \$20,000 Connected Equipment Warranty




12-OUTLET SURGE PROTECTOR

APPLICATION DIAGRAM



FEATURE DIAGRAM



ELECTRICAL SPECIFICATIONS

FOR INDOOR USE

Voltage 120 VAC +/- 10%, 60 Hz

Power Rating 15 A

Surge Protection 288,000 Amps/4,320 Joules

Noise Filtering <40 dB
Standby Power Consumption <1 Watt

PHYSICAL SPECIFICATIONS

IP Rating IP20

APPROVALS

Relocatable Power Taps, UL 1363
Standard for Surge Protective Devices, UL 1449
Cord Reels and Multi-Outlet Assemblies, CSA C22.2 No. 308-18
Surge Protective Devices - Type 3 - Cord connected, direct plug-in and receptacle type, CSA C22.2 No. 269.3-17







ORDER INFORMATION

TS1202 12-outlet Surge Protector, 4,320 Joules,

4-foot power cord

© 2022 TrickleStar. All rights reserved.

TrickleStar® is a registered trademarks of TrickleStar, Ltd. All other trademarks are the property of their respective owners. The information in this document is subject to change without notice. TrickleStar assumes no responsibility for any errors that may appear in this document.

REV 5 / 28 June 2022